

The Lighting Industry Federation



INDOOR WORKPLACE entrants must complete and return to
The Lighting Industry Federation Ltd.
Westminster Tower 3 Albert Embankment London SE1 7SL
or email: charlie@lif.co.uk

Please attach photographic/digital reference of previous scheme and new entry scheme if possible.

Entrant

Name _____

Company/Organisation _____

Address _____

Telephone _____ Fax _____

Email _____

Installation location

Organisation _____

Address _____

Telephone _____ Fax _____

Email _____

Accessibility _____

Owner/Occupier permission for publicity related to the Award Scheme granted by

Type of work

Lighting equipment _____

Manufacturer _____

Lamp maker, colour rendering, colour appearance, wattage rating

INDOOR WORKPLACE
ENTRY FORM



Previous scheme energy performance

Gross floor area _____

Lighting load _____

Annual electricity (by lighting) consumption (measured/predicted) _____

Automatic Lighting Controls (tick or fill box with colour if installed)

Daylight monitoring by photocells Timers/programmers Occupancy detection

Other (please give details) _____

New scheme energy performance

Gross floor area _____

Lighting load _____

Annual electricity (by lighting) consumption (measured/predicted) _____

Automatic Lighting Controls (tick or fill box with colour if installed)

Daylight monitoring by photocells Timers/programmers Occupancy detection

Other (please give details) _____

Calculated payback period based on current energy costs _____

Previous scheme lighting performance

Task Illuminance _____

Task illuminance uniformity _____

Glare rating _____

New scheme lighting performance

Task Illuminance _____

Task illuminance uniformity _____

Glare rating _____

Does your scheme comply with BSEN 12464-1 _____

Planning for recycling of products within the project

Please advise the WEEE Registration number(s) of the Producer(s) supplying the new products

Please confirm that the documented evidence trail for the equipment recycling is available to audit Yes No

Please confirm whether the lamps and emergency lighting batteries were removed from the old luminaires before they were sent for recycling Yes No



INDOOR WORKPLACE
ENTRY FORM

Disposal of lighting equipment removed from the old installation

Were the lamps and emergency lighting batteries removed from the luminaire for separate disposal? Yes No

How were the old products disposed of*


Please confirm that the documented evidence trail for the disposal of equipment is available
Yes No

*Some examples of disposal route are via:

- a waste management company
- a WEEE Compliance Scheme
- Your installation contractor or Electrical Distributor

If you used different routes for the different components please advise for each, if you have that information

I hereby grant LIF permission to use any information and images provided as part of my entry for the purposes of creating case studies and publicity within the lighting industry:
Yes No



Please complete and email to: charlie@lif.co.uk attaching photographic/digital reference and any other relevant material of previous and new schemes.

The Lighting Industry Federation Ltd.
Westminster Tower 3 Albert Embankment London SE1 7SL